


1 Sotrovimab vs Control


1.1 Hospitalisation or death [composite](Day 29)



Risk of bias legend

- (A) Overall risk of bias
- (B) Risk of bias in selection of the reported result
- (C) Risk of bias in measurement of the outcome
- (D) Missing outcome data
- (E) Risk of bias due to deviations from the intended interventions
- (F) Risk of bias arising from the randomization process


1.2 Non-invasive ventilation /HFNO



Risk of bias legend

- (A) Overall risk of bias
- (B) Risk of bias in selection of the reported result
- (C) Risk of bias in measurement of the outcome
- (D) Missing outcome data
- (E) Risk of bias due to deviations from the intended interventions
- (F) Risk of bias arising from the randomization process


1.8 All-cause mortality (Day 29)



Risk of bias legend

- (A) Overall risk of bias
- (B) Risk of bias in selection of the reported result
- (C) Risk of bias in measurement of the outcome
- (D) Missing outcome data
- (E) Risk of bias due to deviations from the intended interventions
- (F) Risk of bias arising from the randomization process


1.12 Invasive mechanical ventilation (Day 29)



Risk of bias legend

- (A) Overall risk of bias
- (B) Risk of bias in selection of the reported result
- (C) Risk of bias in measurement of the outcome
- (D) Missing outcome data
- (E) Risk of bias due to deviations from the intended interventions
- (F) Risk of bias arising from the randomization process


1.16 Serious adverse events (Day 29)



Risk of bias legend

- (A) Overall risk of bias
- (B) Risk of bias in selection of the reported result
- (C) Risk of bias in measurement of the outcome
- (D) Missing outcome data
- (E) Risk of bias due to deviations from the intended interventions
- (F) Risk of bias arising from the randomization process


1.17 Adverse events (Day 29)



Risk of bias legend

- (A) Overall risk of bias
- (B) Risk of bias in selection of the reported result
- (C) Risk of bias in measurement of the outcome
- (D) Missing outcome data
- (E) Risk of bias due to deviations from the intended interventions
- (F) Risk of bias arising from the randomization process

1.21 Hospitalisation [any duration](Day 29)




Risk of bias legend

- (A) Overall risk of bias
- (B) Risk of bias in selection of the reported result
- (C) Risk of bias in measurement of the outcome
- (D) Missing outcome data
- (E) Risk of bias due to deviations from the intended interventions
- (F) Risk of bias arising from the randomization process

1.22 ICU admission

Study or Subgroup	Sotrovimab		Control		Total	Weight	Risk Ratio IV, Fixed, 95% CI	Risk Ratio IV, Fixed, 95% CI	Risk of Bias					
	Events	Total	Events	Total					A	B	C	D	E	F
COMET-ICE final	0	528	10	529	100.0%	0.05 [0.00, 0.81]	0.05 [0.00, 0.81]							
Total (95% CI)	0	528	10	529	100.0%	0.05 [0.00, 0.81]	0.05 [0.00, 0.81]							
Total events	0	528	10	529	100.0%									
Heterogeneity: Not applicable														
Test for overall effect: Z = 2.10 (P = 0.04)														



Risk of bias legend

- (A) Overall risk of bias
- (B) Risk of bias in selection of the reported result
- (C) Risk of bias in measurement of the outcome
- (D) Missing outcome data
- (E) Risk of bias due to deviations from the intended interventions
- (F) Risk of bias arising from the randomization process